

Publications (State of data: December 2020)

Peer-reviewed and review articles

- Bechtaoui, N., Raklami, A., Tahiri, A. I., Benidire, L., El Alaoui, A., Meddich, A., Göttfert, M., Oufdou, K. 2019. Characterization of plant growth promoting rhizobacteria and their benefits on growth and phosphate nutrition of faba bean and wheat. *Biol. Open*. 8:bio043968. doi: 10.1242/bio.043968.
- Hoyer, E., Knöppel, J., Liebmann, M., Steppert, M., Raiwa, M., Herczynski, O., Hanspach, E., Zehner, S., Göttfert, M., Tsushima, S., Fahmy, K., Oertel, J. 2019. Calcium binding to a disordered domain of a type III-secreted protein from a coral pathogen promotes secondary structure formation and catalytic activity. *Sci. Rep.* 9:7115. doi: 10.1038/s41598-019-42898-0.
- Piromyou, P., Songwattana, P., Teamtisong, K., Tittabutr, P., Boonkerd, N., Tantasawat, P. A., Giraud, E., Göttfert, M., Teaumroong, N. 2019. Mutualistic co-evolution of T3SSs during the establishment of symbiotic relationships between *Vigna radiata* and bradyrhizobia. *MicrobiologyOpen*. 8:e781. Doi: 10.1007/s11104-018-3875-3.
- Jiménez-Guerrero I., Pérez-Montaño, F., Zdyb, A., Beutler, M., Werner, G., Göttfert, M., Ollero, F. J., Vinardell, J. M., López-Baena, F. J. 2019. GunA of *Sinorhizobium (Ensifer) fredii* HH103 is a T3SS-secreted cellulase that differentially affects symbiosis with cowpea and soybean. *Plant and Soil*. 435:15-26 DOI: 10.1007/s11104-018-3875-3.
- Nguyen, H. P., Ratu, S. T. N., Yasuda, M., Göttfert, M., Okazaki, S. 2018. InnB, a novel type III effector of *Bradyrhizobium elkanii* USDA61 controls symbiosis with *Vigna* species. *Front. Microbiol.*, *Front. Microbiol.* 9:3155. doi: 10.3389/fmicb.2018.03155
- Durán, D., Imperial, J., Palacios, J., Ruiz-Argüeso, T., Göttfert, M., Zehner, S., Rey, L. 2018. Characterization of a novel MIIA domain-containing protein (MdcE) in *Bradyrhizobium* spp. *FEMS Microbiol. Lett.* 365:fnx276. doi: 10.1093/femsle/fnx276.
- Benidire, L., Lahrouni, M., Daoui, K., Fatemi, Z. E. A., Gomez Carmona, R., Göttfert, M., Oufdou, K. 2018. Phenotypic and genetic diversity of Moroccan rhizobia isolated from *Vicia faba* and study of genes that are likely to be involved in their osmotolerance. *Syst. Appl. Microbiol.* 41:51-61.
- Lahrouni, M., Oufdou, K., El Khalloufi, F., Benidire, L., Albert, S., Göttfert, M., Caviedes, M. A., Rodríguez-Llorente, I. D., Oudra, B., Pajuelo, E. 2016. Microcystin-tolerant *Rhizobium* protects plants and improves nitrogen assimilation in *Vicia faba* irrigated with microcystin-containing waters. *Environ. Sci. Pollut. Res. Int.* 23:10037-10049.
- Acosta-Jurado, S., Alias-Villegas, C., Navarro-Gómez, P., Zehner, S., Murdoch, P. D., Rodríguez-Carvajal, M. A., Soto, M. J., Ollero, F. J., Ruiz-Sainz, J. E., Göttfert, M., Vinardell, J. M. 2016. The *Sinorhizobium fredii* HH103 MucR1 global regulator Is Connected With the nod Regulon and Is Required for Efficient Symbiosis With *Lotus burttii* and *Glycine max* cv. Williams. *Mol Plant Microbe Interact* doi:10.1094/mpmi-06-16-0116-r:Mpmi06160116r.
- Vinardell, J. M., Acosta-Jurado, S., Zehner, S., Göttfert, M., Becker, A., Baena, I., Blom, J., Crespo-Rivas, J. C., Goesmann, A., Jaenicke, S., Krol, E., McIntosh, M., Margaret, I., Pérez-Montaño, F., Schneiker-Bekel, S., Serranía, J., Szczepanowski, R., Buendía, A. M., Lloret, J., Bonilla, I., Pühler, A., Ruiz-Sainz, J. E., and Weidner, S. 2015. The *Sinorhizobium fredii* HH103 genome: a comparative analysis with *S. fredii* strains

- differing in their symbiotic behaviour with soybean. *Mol. Plant-Microbe Interact.* 28:811-824.
- Zehner, S. und Göttfert, M. (2015). Knöllchenbakterien: Helfer der Landwirtschaft. *Biologie in unserer Zeit* 5:296-302.
- Rossbach, S., Kunze, K., Albert, S., Zehner, S., and Göttfert, M. 2014. The *Sinorhizobium meliloti* EmrAB efflux system is regulated by flavonoids through a TetR-like regulator (EmrR). *Mol. Plant-Microbe Interact.*, 27:379-387.
- Schirrmeister, J., Zocher, S., Flor, L., Göttfert, M., and Zehner, S. 2013. The domain of unknown function DUF1521 exhibits metal ion-inducible autocleavage activity - a novel example from a putative effector protein of *Vibrio coralliilyticus* ATCC BAA-450. *FEMS Microbiol. Lett.* 343:177-182.
- Weidner, S., Baumgarth, B., Göttfert, M., Jaenicke, S., Pühler, A., Schneiker-Bekel, S., Serrania, J., Szczepanowski, R., and Becker, A. 2013. Genome sequence of *Sinorhizobium meliloti* Rm41. *Genome Announc.* 1: e00013-12.
- Wenzel, M., Lang, K., Günther, T., Bhandari, A., Weiss, A., Lulchev, P., Szentgörgyi, E., Kranzusch, B., and Göttfert, M., 2012. Characterization of the flavonoid-responsive regulator FrrA and its binding sites. *J. Bacteriol.* 194:2363-2370.
- Weidner, S., Becker, A., Bonilla, I., Jaenicke, S., Lloret, J., Margaret, I., Pühler, A., Ruiz-Sainz, J. E., Schneiker-Bekel, S., Szczepanowski, R., Vinardell, J. M., Zehner, S., and Göttfert, M. 2012. Genome Sequence of the soybean symbiont *Sinorhizobium fredii* HH103. *J. Bacteriol.* 194:1617-1618.
- Ghasem, F., Poustini, K., Besharati, H., Mohammadi, V. A., and Göttfert, M. 2012. Pre-incubation of *Sinorhizobium meliloti* with luteolin, methyl jasmonate and genistein affecting alfalfa (*Medicago sativa* L.) growth, nodulation and nitrogen fixation under salt stress. *J. Agr. Sci. Tech.* 6:1255-1264.
- Schirrmeister, J., Friedrich, L., Wenzel, M., Hoppe, M. Wolf, C., Göttfert, M. and Zehner, S. 2011. Characterization of the self-cleaving effector protein NopE1 of *Bradyrhizobium japonicum*. *J. Bacteriol.* 193:3733-3739.
- Margaret, I., Becker, A., Blom, J., Bonilla, I., Goesmann, A., Göttfert, M., Lloret, J., Mittard-Runte, V., Rückert, C., Ruiz-Sainz, J. E., Vinardell, J. M., and Weidner, S. 2011. Symbiotic properties and first analyses of the genomic sequence of the fast growing model strain *Sinorhizobium fredii* HH103 nodulating soybean. *J. Biotechnol.* 155:11-19.
- Okazaki, S., Okabe, S., Higashi, M., Shimoda, Y., Sato, S., Tabata, S., Hashiguchi, M., Akashi, R., Göttfert, M., and Saeki, K. 2010. Identification and functional analysis of type III effector proteins in *Mesorhizobium loti*. *Mol. Plant-Microbe Interact.* 23:223-234.
- Wenzel, M., Friedrich, L., Göttfert, M., and Zehner, S. 2010. The type III-secreted protein NopE1 affects symbiosis and exhibits a calcium-dependent autocleavage activity. *Mol. Plant-Microbe Interact.* 23:124-129.
- Göttfert, M. 2009. Communication between rhizobia and plants. In: Jung K, Krämer R (eds) *Bacterial Signaling*. Wiley-VCH, Weinheim, pp 57-73.
- Göttfert, M., and Krishnan, H. 2009. Nodulation genes and type III secretion systems in rhizobia. In: Emerich DW, Krishnan HB (eds) *Nitrogen in Crop Production*. ASA-CSSA-SSSA Publishing, Madison, WI, pp 65-94.

- Okazaki, S., Zehner, S., Hempel, J., Lang, K., and Göttfert, M. 2009. Genetic organisation and functional analysis of the type III secretion system of *Bradyrhizobium elkanii*. FEMS Microbiol. Lett. 295:88-95.
- Hempel, J., Zehner, S., Göttfert, M., and Patschkowski, T. 2009. Analysis of the secretome of the soybean symbiont *Bradyrhizobium japonicum*. J. Biotechnol. 140:51-58.
- Zehner, S., Schober, G., Wenzel, M., Lang, K., and Göttfert, M. 2008. Expression of the *Bradyrhizobium japonicum* type III secretion system in legume nodules and analysis of the associated *tts* box promoter. Mol. Plant-Microbe Interact. 21:1087-1093.
- Lang, K., Lindemann, A., Hauser, F., and Göttfert, M. 2008. The genistein stimulon of *Bradyrhizobium japonicum*. Mol. Genet. Genomics 279:203-211.
- Ludwig, F., Medger, A., Börnick, H., Opitz, M., Lang, K., Göttfert, M., and Röske, I. 2007. Identification and expression analyses of putative sesquiterpene synthase genes in *Phormidium* sp. and prevalence of *geoA*-like genes in a drinking water reservoir. Appl. Environ. Microbiol. 73:6988-6993.
- Kanbe, M., Yagasaki, J., Zehner, S., Göttfert, M., and Aizawa, S. 2007. Characterization of two sets of sub-polar flagella in *Bradyrhizobium japonicum*. J. Bacteriol. 189:1083-1089.
- Süß, C., Hempel, J., Zehner, S., Krause, A., Patschkowski, T., and Göttfert M. 2006. Identification of genistein-inducible and type III-secreted proteins of *Bradyrhizobium japonicum*. J. Biotechnol. 126:69-77.
- Göttfert, M., Hennecke, H., and Tabata, S. 2005. Facets of the *Bradyrhizobium japonicum* 110 genome. In: Palacios R, Newton WE (eds) Genomes and genomics of nitrogen-fixing organisms. Springer, Dordrecht, pp 99-111.
- Pühler, A., Arlat, M., Becker, A., Göttfert, M., Morrissey, J. P., and O’Gara, F. 2004. What can bacterial genome research teach us about bacteria-plant interactions? Curr. Opin. Plant Biol. 7:137-147.
- Caldelari Baumberger, I., Fraefel, N., Göttfert, M., and Hennecke, H. 2003. New NodW- or NifA-regulated *Bradyrhizobium japonicum* genes. Mol. Plant-Microbe Interact. 16:342-351.
- Krause, A., Doerfel, A., and Göttfert, M. 2002. Mutational and transcriptional analysis of the type III secretion system of *Bradyrhizobium japonicum*. Mol. Plant-Microbe Interact. 15:1228-1235.
- Göttfert, M., Röthlisberger, S., Kündig, C., Beck, C., Marty, R., and Hennecke, H. 2001. Potential symbiosis-specific genes uncovered by sequencing a 410-kb DNA region of the *Bradyrhizobium japonicum* chromosome. J. Bacteriol. 183:1405-1412.
- Mesa, S., Göttfert, M., and Bedmar, E. J. 2001. The *nir*, *nor*, and *nos* denitrification genes are dispersed over the *Bradyrhizobium japonicum* chromosome. Arch. Microbiol. 176:136-142.
- Fischer, H.-M., Velasco, L., Delgado, M. J., Bedmar, E. J., Schären, S., Zingg, D., Göttfert, M., and Hennecke, H. 2001. One of two *hemN* genes in *Bradyrhizobium japonicum* is functional during anaerobic growth and in symbiosis. J. Bacteriol. 183:1300-1311.
- Nienaber, A., Huber, A., Göttfert, M., Hennecke, H., and Fischer, H.-M. 2000. Three new NifA-regulated genes in the *Bradyrhizobium japonicum* symbiotic gene region discovered by competitive DNA-RNA hybridization. J. Bacteriol. 182:1472-1480.

- Hahn, M., Neef, U., Struck, C., Göttfert, M., and Mendgen K. 1997 A putative amino acid transporter is specifically expressed in haustoria of the rust fungus *Uromyces fabae*. *Mol. Plant-Microbe Interact.* 10:438-445.
- Beck, C., Marty, R., Kläusli, S., Hennecke, H., and Göttfert, M. 1997. Dissection of the transcription machinery for housekeeping genes of *Bradyrhizobium japonicum*. *J. Bacteriol.* 179:364-369.
- Kündig, C., Beck, C., Hennecke, H., and Göttfert, M. 1995. A single rRNA gene region in *Bradyrhizobium japonicum*. *J. Bacteriol.* 177:5151-5154.
- Grob, P., Hennecke, H., and Göttfert, M. 1994. Cross-talk between the two-component regulatory systems NodVW and NwsAB of *Bradyrhizobium japonicum*. *FEMS Microbiol. Lett.* 120:349-354.
- Sanjuan, J., Grob, P., Göttfert, M., Hennecke, H., and Stacey, G. 1994. NodW is essential for full expression of the common nodulation genes in *Bradyrhizobium japonicum*. *Mol. Plant-Microbe Interact.* 7:364-369.
- Kündig, C., Hennecke, H., and Göttfert, M. 1993. Correlated physical and genetic map of the *Bradyrhizobium japonicum* 110 genome. *J. Bacteriol.* 175:613-622.
- Grob, P., Michel, P., Hennecke, H., and Göttfert, M. 1993. A novel response-regulator is able to suppress the nodulation defect of a *Bradyrhizobium japonicum nodW* mutant. *Mol. Gen. Genet.* 241:531-541.
- Göttfert, M. 1993. Eine konservierte Import/Export-Proteinfamilie in Pro- und Eukaryonten. *BioEngineering* 9 (5):66-71
- Göttfert, M. 1993. Regulation and function of rhizobial nodulation genes. *FEMS Microbiol. Rev.* 104:39-64.
- Göttfert, M., Holzhäuser, D., Bani, D., and Hennecke, H. 1992. Structural and functional analysis of two different *nodD* genes in *Bradyrhizobium japonicum* USDA110. *Mol. Plant-Microbe Interact.* 5:257-265.
- Ramseier, T. M., and Göttfert, M. 1991. Codon usage and G+C content in *Bradyrhizobium japonicum* genes are not uniform. *Arch. Microbiol.* 156:270-276.
- Sadowsky, M. J., Cregan, P. B., Göttfert, M., Sharma, A., Gerhold, D., Rodriguez-Quinones, F., Keyser, H. H., Hennecke, H., and Stacey, G. 1991. The *Bradyrhizobium japonicum nola* gene and its involvement in the genotype-specific nodulation of soybeans. *Proc. Natl. Acad. Sci. USA* 88:637-641.
- Göttfert, M., Hitz, S., and Hennecke, H. 1990. Identification of *nodS* and *nodU*, two inducible genes inserted between the *Bradyrhizobium japonicum nodYABC* and *nodIJ* genes. *Mol. Plant-Microbe Interact.* 3:308-316.
- Göttfert, M., Grob, P., and Hennecke, H. 1990. Proposed regulatory pathway encoded by the *nodV* and *nodW* genes, determinants of host specificity in *Bradyrhizobium japonicum*. *Proc. Natl. Acad. Sci. USA* 87:2680-2684.
- Göttfert, M. 1990. Signalmoleküle in der *Rhizobium*-Leguminosen Interaktion. *Forum Mikrobiologie* 13:546-551.
- Göttfert, M., Lamb, J. W., Gasser, R., Semenza, J., and Hennecke, H. 1989. Mutational analysis of the *Bradyrhizobium japonicum* common *nod* genes and further *nod* box-linked genomic DNA regions. *Mol. Gen. Genet.* 215:407-415.

- Göttfert, M., Weber, J., and Hennecke, H. 1988. Induction of a *nodA-lacZ* fusion in *Bradyrhizobium japonicum* by an isoflavone. J. Plant Physiol. 132:394-397.
- Göttfert, M., Thöny, B., and Hennecke, H. 1987. Einsatz von synthetischen Oligonukleotiden in der mikrobiellen Genetik. GIT Fachzeitschrift Laboratorium 31:888-890.
- Göttfert, M., Horvath, B., Kondorosi, E., Putnoky, P., Rodriguez-Quinones, F., and Kondorosi, A. 1986. At least two *nodD* genes are necessary for efficient nodulation of alfalfa by *Rhizobium meliloti*. J. Mol. Biol. 191:411-420.
- Göttfert, M., and Klingmüller, W. 1985. Isolation of transfer-negative *nif*-plasmids (pCE1) and their integration into the chromosome of *Escherichia coli* with the help of phage Mu. Mol. Gen. Genet. 199:481-485.
- Nguyen, N. D., Göttfert, M., Singh, M., and Klingmüller, W. 1983. Nif-hybrids of *Enterobacter cloacae*: selection for *nif*-gene integration with *nif*-plasmids containing the Mu transposon. Mol. Gen. Genet. 192:439-443.

Symposium-Proceedings and book

- Kondorosi, A., Horvath, B., Göttfert, M., Putnoky, P., Rostas, K., Györgypal, Z., Kondorosi, E., Török, I., Bachem, C., John, M., Schmidt, J., and Schell, J. 1985. Identification and organisation of *Rhizobium meliloti* genes relevant to the initiation and development of nodules. In: Evans HJ, Bottomley PJ, Newton WE (eds) Nitrogen Fixation Research Progress. Martinus Nijhoff Publishers Dordrecht, pp 73-78.
- Lamb, J. W., Regensburger, B., Fischer, H. M., Göttfert, M., Meyer, L., Ebeling, S., Studer, D., Hahn, M., and Hennecke, H. 1986. *Bradyrhizobium japonicum* genes involved in soybean root-nodule development. In: Lugtenberg B (ed) Recognition in Microbe-Plant Symbiotic and Pathogenic Interactions. Springer-Verlag Berlin Heidelberg, pp 79-86.
- Hennecke, H., Fischer, H. M., Ebeling, S., Gubler, M., Thöny, B., Göttfert, M., Lamb, J. W., Hahn, M., Ramseier, T., Regensburger, B., Alvarez-Morales, A., and Studer, D. 1987. *Nif*, *fix* and *nod* gene clusters in *Bradyrhizobium japonicum*, and *nifA*-mediated control of symbiotic nitrogen fixation. In: Verma DPS, Brisson N (eds) Molecular Genetics of Plant-Microbe Interactions. Martinus Nijhoff Publishers Dordrecht, pp 191-196.
- Kondorosi, A., Kondorosi, E., Horvath, B., Göttfert, M., Bachem, C., Rodriguez-Quinones, F., Banfalvi, Z., Putnoky, P., Györgypal, Z., John, M., Schmidt, J., and Schell, J. 1987. Common and host specific nodulation genes in *Rhizobium meliloti* and their conservation in other rhizobia. In: Verma DPS, Brisson N (eds) Molecular Genetics of Plant-Microbe Interactions. Martinus Nijhoff Publishers Dordrecht, pp 217-222.
- Hennecke, H., Meyer, L., Göttfert, M., and Fischer, H. M. 1988. Genetics of the *Bradyrhizobium japonicum*-soybean symbiosis: recent developments on genes for nodulation, bacteroid respiration and regulation of nitrogen fixation. In: Palacios R, Verma DPS (eds) Molecular Genetics of Plant-Microbe Interactions. American Phytopathological Society, pp 118-123.
- Göttfert, M., Grob, P., Rossbach, S., Fischer, H.-M., Thöny, B., Anthamatten, D., Kullik, I., and Hennecke, H. 1989. Bacterial genes involved in the communication between soybean and its root nodule symbiont, *Bradyrhizobium japonicum*. In: Lugtenberg BJJ (ed) Signal Molecules in Plants and Plant-Microbe Interactions. Springer-Verlag Berlin Heidelberg, pp 295-301.

- Göttfert, M., Grob, P., and Hennecke, H. 1994. Influence of the two-component regulatory systems NodVW and NwsAB on *nod* gene control in *Bradyrhizobium japonicum*. In: Kiss GB, Endre G (eds) Proceedings of the 1st European Nitrogen Fixation Conference. Officina Press, Szeged, pp 137-141
- Göttfert, M., Kündig, C., and Hennecke, H. 1998. The genome of *Bradyrhizobium japonicum* strain 3I1b110. In: de Bruijn FJ, Weinstock GM, Lupski JR (eds) Bacterial Genomes: Physical Structure and Analysis., Chapman & Hall, pp 625-628.
- Palacios, R., Boistard, P., Dávila G., Fonstein M., Göttfert M., Perret X., Ronson C., and Sobral B. 1998. Genome structure in nitrogen-fixing organisms. In: Elmerich C, Kondorosi A, Newton WE (eds) Biological Nitrogen Fixation for the 21st Century. Kluwer Academic Publishers, Dordrecht, pp 541-547.
- Irrgang, B., Göttfert, M., Kunz, M., Lege, J., Rödel, G., and Vondran, I. 2000. Gentechnik in der Pflanzenzucht – Eine interdisziplinäre Studie. Verlag J. H. Röll.
- Krause, A., Doerfel, A., Schmid, C., Hennecke, H., Krishnan, H., and Göttfert, M. 2002. The type III secretion system of *Bradyrhizobium japonicum* 110*spc4*. In: Finan TM, O'Brian MR, Layzell DB, Vessey JK, Newton WE (eds) Nitrogen Fixation: Global Perspectives. CABI Publishing, New York, pp 288-292.
- Okazaki, S., Okabe, S., Zehner, S., Göttfert, M., and Saeki, K. 2008. Symbiotic roles and transcriptional analysis of the type III secretion system in *Mesorhizobium loti*. In: Dakora FD, Chimphango SBM, Valentine AJ, Elmerich C, Newton WE (eds) Biological Nitrogen Fixation: Towards Poverty Alleviation through Sustainable Agriculture. Springer Science + Business Media, p 235.
- Lang, K., Lindemann, A., Hauser, F., Hennecke, H., and Göttfert, M. 2008. Genistein-dependent regulatory circuits in *Bradyrhizobium japonicum*. In: Dakora FD, Chimphango SBM, Valentine AJ, Elmerich C, Newton WE (eds) Biological Nitrogen Fixation: Towards Poverty Alleviation through Sustainable Agriculture. Springer Science + Business Media, pp 241-242.
- Okazaki, S., Zehner, S., Lang, K., and Göttfert, M., 2008. Characterization of *Bradyrhizobium elkanii* type III secretion system. In: Dakora FD, Chimphango SBM, Valentine AJ, Elmerich C, Newton WE (eds) Biological Nitrogen Fixation: Towards Poverty Alleviation through Sustainable Agriculture. Springer Science + Business Media, p 261.

Patents

- Appelbaum, E. R., Hennecke, H., Lamb, J. W., and Göttfert, M. 1991. *Bradyrhizobium japonicum* nodulation regulatory protein and gene. U.S. Patent No. 5,023,180.
- Zehner, S., Friedrich, L., Göttfert, M., Wenzel, M. 2012 Autokatalytischer Proteinlinker und seine Verwendung zur Herstellung von Fusionsproteinen / DE102009008252.2
- Bhandari, A., Göttfert, M., Günther, T., Lang, K., Mäbert, K., Wenzel, M. 2013 Flavonoid-induzierbares Expressionssystem / DE102008062285